Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 292 (2005) 491–494
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Author index to volume 292

Abo El Ata, A.M., F.M. Reicha and M.M. Ali, Transport and magnetic permeability study of $SrCu_{2-x/2}Ti_xFe_{16-x}O_{27}$ W-type hexaferrites 17
Acher, O., see Schoenstein, F. 201
Adenot, A.-L., see Schoenstein, F. 201
Adrian, H., see Oster, J. 164
Afify, H.H., see Battisha, I.K. 440
Ali, M.M., see Abo El Ata, A.M. 17
Altounian, Z., see Liu, X.B. 83
Amira, A., P. Molinié, M.F. Mosbah and A. Leblanc, AC susceptibility study of fluorine-doped Bi-2212 ceramics 186
Ando, Y., see Peng, D.L. 143
Anton, R., see Wellhöfer, M. 345
Appleton, S., see Thompson, S. 100
Asmatulu, R., M.A. Zalich, R.O. Claus and J.S. Riffle, Synthesis, characterization and targeting of biodegradable magnetic nanocomposite particles by external magnetic fields 108
Aublanc, P., see Schoenstein, F. 201

Baenitz, M., see Rabis, A. 490
Bai, H.L., see Du, H.M. 227
Baran, M., see Pękała, M. 385
Barentin, V., see Schoenstein, F. 201
Battisha, I.K., H.H. Afify and I.M. Hamada, Structural and magnetic susceptibility studies of SiO_2: Fe_2O_3 nano-composites prepared by sol–gel technique 440
Bernhard, T., see Gruyters, M. 192

Cai, J., X. Tao, W. Chen, X. Zhao and M. Tan, Density-functional theory calculations on the magneto-optical Kerr effects in Co_2TiSn and Co_2ZrSn 476
Čapeta, D. and D.K. Sunko, Hysteresis in an Ising model with mobile bonds 359
Carriço, A.S., see Silva, M.L. 453
Chang, C.W., H.W. Chang, C.H. Chiu, W.C. Chang, S.K. Chen and A.C. Sun, Fe–B/FePt-type nanocomposite ribbons with high permanent magnetic properties 120
Chang, H.W., see Chang, C.W. 120
Chang, W.C., see Chang, C.W. 120
Chen, H.?, see Xu, S. 126
Chen, J., see Yan, S. 304
Chen, J.-A., see Zhou, Y. 255
Chen, L., see Xia, Z.C. 260
Chen, L., see Zhou, P.H. 325
Chen, S.K., see Chang, C.W. 120
Chen, W., see Cai, J. 476
Chen, Z.M., see Gopalan, R. 150
Chiu, C.H., see Chang, C.W. 120
Chumlyakov, Y., see Sehitoglu, H. 89
Chung, Y.R., see Sung, H.H. 413
Claus, R.O., see Asmatulu, R. 108
Coffey, W.T., see Kalmykov, Y.P. 372

Dantas, A.L., see Silva, M.L. 453
Deng, L.J., see Zhou, P.H. 325
Ding, W., see Zhou, Y. 255
Dong, B., see Xia, Z.C. 260
Dong, H.-N., see Wu, S.-Y. 248
Doyananda, D., see Xia, Z.C. 260
Du, H.M., P. Wu, E.Y. Jiang, Z.Q. Li, C. Zhao and H.L. Bai, The influence of experimental procedures on the structural and magnetic properties of RF sputtered Fe–N thin films 227
Du, S.W. and R.V. Ramanujan, Mechanical alloying of Fe–Ni based nanostructured magnetic materials 286

Edge, A.V.J., see Stewart, G.A. 72
Efstathiou, C., see Sehitoglu, H. 89

Fang, C.H., see Xia, Z.C. 260
Fedorenko, A.A., see Pshenichnikov, A.F. 332
Feng, S.Z., see Sun, H.Y. 281

Gao, X.-Y., see Zhou, Y. 255
Geng, J., see Yan, S. 304
Gercsi, Z., see Kane, S.N. 447
Gippius, A., see Rabis, A. 490
Gismelseed, A.M. and A.A. Yousif, Magnetic properties of NiAs-type Fe–Sb–Te alloys 37
Gopalan, R., D.H. Ping, K. Hono, M.Q. Huang, B.R. Smith, Z.M. Chen and B.M. Ma, Investigation on structure-magnetic property correlation in melt-spun $Sm(Co_{0.56}Fe_{0.31}Cu_{0.04}Zr_{0.05}B_{0.04})_z$ ribbons 150
Grandjean, F., R.P. Hermann, G.J. Long and S.R. Mishra, A Mössbauer spectral study of some iron nitride-based nanocomposites prepared by ball milling 215

doi: 10.1016/S0304-8853(05)00336-7

Greig, D., see Spangenberg, M. 241
Grin, Y., see Rabis, A. 490
Gruyters, M., T. Bernhard and H. Winter, Structural effects on the magnetic behavior of ultrathin Co films on Cu(0 0 1) at the T_C jump 192
Gu, J.J., see Sun, H.Y. 281
Guan, S. and B.J. Nelson, Electrodeposition of low residual stress CoNiMnP hard magnetic thin films for magnetic MEMS actuators 49
Guo, Y.Q., see Luo, J. 178
Gupta, A., see Kane, S.N. 447
Gupta, A.K., see Singh, H.K. 483

Hamada, I.M., see Battisha, I.K. 440
He, Z., see Xu, S. 126
Hermann, R.P., see Grandjean, F. 215
Hono, K., see Gopalan, R. 150
Hopkinson, M., see Spangenberg, M. 241
Hu, H.N., see Sun, H.Y. 281
Huang, M.Q., see Gopalan, R. 150
Huang, W.-h., see Lu, W. 299
Hutchison, W.D., see Stewart, G.A. 72
Huth, M., see Oster, J. 164

Inoue, S., see Peng, D.L. 143
Isikawa, Y., see Stewart, G.A. 72

Jansen, M., see Zaitsev, D.D. 59
Jia, L.Z., see Sun, H.Y. 281
Jiang, C., see Ma, T. 317
Jiang, E.Y., see Du, H.M. 227

Kalmykov, Y.P., W.T. Coffey, B. Ouari and S.V. Titov, Damping dependence of the magnetization relaxation time of single-domain ferromagnetic particles 372
Kane, S.N., A. Gupta, Z. Gercsi, F. Mazaleyrat and L.K. Varga, Mössbauer and magnetic studies of $(Fe_{100-x}Co_x)_{62}$ Nb_8B_{30} ($X=0,33,50$) alloys 447
Kazin, P.E., see Zaitsev, D.D. 59
Kiang, J. and L. Tong, Modelling of magneto-mechanical behaviour of Ni–Mn–Ga single crytals 394
Koehler, T.R., The mean field plus approximation 1
Krzymańska, B., see Pękała, M. 385
Kumar, U., K.G. Padmalekha, P.K. Mukhopadhyay, D. Paudyal and A. Mookerjee, Magnetic transition in NiPt alloy systems: experiment and theory 234

Leblanc, A., see Amira, A. 186
Lee, J.D., Hidden glassy behaviors in an ideal Heisenberg Kagomé antiferromagnet 462
Lee, W.H., see Sung, H.H. 413
Leithe-Jasper, A., see Rabis, A. 490
Lereah, Y., see Meron, T. 11
Li, Y.-T., C.-W. Yan, Z.-Y. Wu and C.-Y. Zhu, Synthesis and ferromagnetically coupled heterodinuclear oxamido-bridged copper(II)–oxovanadium(IV) complexes 418
Li, Z.Q., see Du, H.M. 227
Liang, D.F., see Zhou, P.H. 325
Liang, J.K., see Luo, J. 178
Liu, D.W., see Xia, Z.C. 260
Liu, F.S., see Luo, J. 178
Liu, G., see Xia, Z.C. 260
Liu, L., see Xia, Z.C. 260
Liu, L., see Yan, S. 304
Liu, Q.L., see Luo, J. 178
Liu, S., see Xia, Z.C. 260
Liu, X.B. and Z. Altounian, Magnetocaloric effect in $(Er_{1-x}Gd_x)Co_2$ pseudobinary compounds 83
Liu, Y., see Xu, S. 126
Long, G.J., see Grandjean, F. 215
Lu, B., see Lu, W. 299
Lu, W., L. Yang, B. Yan, B. Lu and W.-h. Huang, Bulk amorphous and nanocrystalline $Fe_{86}Zr_{5.5}Nb_{5.5}B_3$ alloy by rapid consolidation at super-high pressure 299
Luo, J., J.K. Liang, Y.Q. Guo, Q.L. Liu, F.S. Liu, Y. Zhang, L.T. Yang and G.H. Rao, Crystal structure and magnetic properties of $Nd_{1-x}Y_xCo_{6.86}Hf_{0.14}$ compounds 178
Luo, S.J. and K.L. Yao, Electronic band structure and ferromagnetic properties of $SeCu_xZn_{1-x}O_3$ ($0\leqslant x\leqslant 1$) perovskites 367

Ma, B.M., see Gopalan, R. 150
Ma, T., C. Jiang, X. Xu, H. Zhang and H. Xu, The Co-doped $Tb_{0.36}Dy_{0.64}Fe_2$ magnetostrictive alloys with a wide operating temperature range 317
Maier, H.J., see Sehitoglu, H. 89
Malins, A.E.R., see Spangenberg, M. 241
Malléjac, N., see Schoenstein, F. 201
Mao, X.-H., see Zhou, Y. 255
Markovich, G., see Meron, T. 11
Matthew, J.A.D., see Spangenberg, M. 241
Mazaleyrat, F., see Kane, S.N. 447
McCallum, R.W., Determination of the saturation magnetization, anisotropy field, mean field interaction, and switching field distribution for nanocrystalline hard magnets 135
Medvedyeva, L.I., see Zavorotnev, Y.D. 426
Meron, T., Y. Rosenberg, Y. Lereah and G. Markovich, Synthesis and assembly of high-quality cobalt ferrite nanocrystals prepared by a modified sol–gel technique 11
Mishra, S.R., see Grandjean, F. 215
Mitchell, J.F., see Wu, T. 25
Molinié, P., see Amira, A. 186
Mookerjee, A., see Kumar, U. 234
Morozova, E., see Rabis, A. 490
Morton, S.A., see Spangenberg, M. 241
Mosbah, M.F., see Amira, A. 186
Mucha, J., see Pękała, M. 385
Mukhopadhyay, P.K., see Kumar, U. 234
Murthy, V.R.K., see Ramamanohar Reddy, N. 159
Mydosh, J., see Rabis, A. 490

Neal, J.R., see Spangenberg, M. 241
Nelson, B.J., see Guan, S. 49
Ni, X.M., see Zhang, D.E. 79
Nie, X.F., see Sun, H.Y. 281
Nishimura, K., see Stewart, G.A. 72

O'Keefe, E.S., see Thompson, S. 100
Oliveira, E.A., see Walton, D. 310
Oster, J., L. Wiehl, H. Adrian and M. Huth, Magnetic and magnetoelastic properties of epitaxial (2 1 1)-oriented RFe_2 (R = Dy, Tb) thin films 164
Ouari, B., see Kalmykov, Y.P. 372

Padmalekha, K.G., see Kumar, U. 234
Pagès, H., see Schoenstein, F. 201
Paudyal, D., see Kumar, U. 234
Pękała, M., J. Mucha, M. Baran, I. Troyanchuk, B. Krzymańska and H. Szymczak, Magneto-transport in orthocobaltite $GdBaCo_2O_{5.5}$ 385
Peng, D.L., X. Zhao, S. Inoue, Y. Ando and K. Sumiyama, Magnetic properties of Fe clusters adhering to single-wall carbon nanotubes 143
Perry, C.C., see Thompson, S. 100
Peter Oepen, H., see Wellhöfer, M. 345
Ping, D.H., see Gopalan, R. 150
Pshenichnikov, A.F. and A.A. Fedorenko, Chain-like aggregates in magnetic fluids 332
Pütter, S., see Wellhöfer, M. 345

Queste, S., see Schoenstein, F. 201

Rabis, A., A. Leithe-Jasper, A. Gippius, E. Morozova, M. Baenitz, W. Schnelle, N. Senthilkumaran, J. Mydosh, F. Steglich and Y. Grin, Erratum to "Magnetic resonance investigations on $NaFe_4Sb_{12}$" [Journal of Magnetism and Magnetic Materials 272–276 (2004) 830–832] 490
Rajagopal, E., see Ramamanohar Reddy, N. 159
Rajitha, G., see Ramamanohar Reddy, N. 159
Rama, N., V. Sankaranarayanan and M.S.R. Rao, Effect of A-site disorder on the percolative transport of $Pr_{(0.7-y)}Ho_ySr_{0.3}MnO_3$ (y = 0.0, 0.04, 0.08 and 0.1) 468
Ramamanohar Reddy, N., M. Venkata Ramana, G. Rajitha, E. Rajagopal, K.V. Sivakumar and V.R.K. Murthy, Stress sensitivity of inductance in NiCuZn ferrites 159
Ramanujan, R.V., see Du, S.W. 286
Rao, B.P. and K.H. Rao, Distribution of In^{3+} ions in indium-substituted Ni–Zn–Ti ferrites 44
Rao, G.H., see Luo, J. 178
Rao, K.H., see Rao, B.P. 44
Rao, M.S.R., see Rama, N. 468
Reicha, F.M., see Abo El Ata, A.M. 17
Riehemann, W., see Weidenfeller, B. 210
Riffle, J.S., see Asmatulu, R. 108
Rosenberg, Y., see Meron, T. 11
Rupprecht, K., see Stewart, G.A. 72

Sankaranarayanan, V., see Rama, N. 468
Schnelle, W., see Rabis, A. 490
Schoenstein, F., P. Aublanc, H. Pagès, S. Queste, V. Barentin, A.-L. Adenot, N. Malléjac and O. Acher, Influence of the domain structure on the microwave permeability of soft magnetic films and multilayers 201
Seddon, E.A., see Spangenberg, M. 241
Sehitoglu, H., C. Efstathiou, H.J. Maier and Y. Chumlyakov, Magnetization, shape memory and hysteresis behavior of single and polycrystalline FeNiCoTi 89
Senthilkumaran, N., see Rabis, A. 490
Shamsuzzoha, M., see Zana, I. 266
Shen, T.-H., see Spangenberg, M. 241
Shibli, S.M., see Walton, D. 310
Shirtcliffe, N.J., see Thompson, S. 100
Silva, M.L., A.L. Dantas and A.S. Carriço, Threshold for reorientation of the magnetization in F/AF bilayers 453
Singh, H.K., A.K. Gupta, P.K. Siwach and O.N. Srivastava, Effect of Ba doping on structure and magneto-transport properties of layered manganite $La_{1.4}Ca_{1.6-x}Ba_xMn_2O_7$ 483
Sivakumar, K.V., see Ramamanohar Reddy, N. 159
Siwach, P.K., see Singh, H.K. 483
Smith, B.R., see Gopalan, R. 150
Spangenberg, M., J.R. Neal, T.-H. Shen, S.A. Morton, J.G. Tobin, G.D. Waddill, J.A.D. Matthew, D. Greig, A.E.R. Malins, E.A. Seddon and M. Hopkinson, Observation of a low Curie temperature ferromagnetic phase of ultrathin epitaxial Fe films on GaAs(0 0 1) 241
Srivastava, O.N., see Singh, H.K. 483
Steglich, F., see Rabis, A. 490
Stewart, G.A., W.D. Hutchison, A.V.J. Edge, K. Rupprecht, G. Wortmann, K. Nishimura and Y. Isikawa, The magnetic properties of $GdNiAl_4$ 72
Sumiyama, K., see Peng, D.L. 143
Sun, A.C., see Chang, C.W. 120
Sun, H.Y., J.J. Gu, H.N. Hu, L.Z. Jia, S.Z. Feng, X.F. Nie and Y.P. Sun, Influence of cubic crystalline anisotropy on the annihilation of Vertical Bloch lines in the walls of hard domains under in-plane field 281
Sun, L., see Zhou, S.M. 65
Sun, Y.P., see Sun, H.Y. 281
Sung, H.H., Y.N. Yang, Y.R. Chung and W.H. Lee, Magnetic and electrical properties of $Ce(Cu_{0.5}In_{1.5})$ compound 413
Sunko, D.K., see Čapeta, D. 359
Szymczak, H., see Pękała, M. 385

Tan, M., see Cai, J. 476
Tang, C.Q., see Xia, Z.C. 260

Tao, X., see Cai, J. 476
Thompson, S., N.J. Shirtcliffe, E.S. O'Keefe, S. Appleton and C.C. Perry, Synthesis of $SrCo_xTi_x$-$Fe_{(12-2x)}O_{19}$ through sol–gel auto-ignition and its characterisation 100
Titov, S.V., see Kalmykov, Y.P. 372
Tobin, J.G., see Spangenberg, M. 241
Tong, L., see Kiang, J. 394
Tretyakov, Y.D., see Zaitsev, D.D. 59
Troyanchuk, I., see Pękała, M. 385

Varga, L.K., see Kane, S.N. 447
Vega, M.L., see Walton, D. 310
Venkata Ramana, M., see Ramamanohar Reddy, N. 159

Waddill, G.D., see Spangenberg, M. 241
Walton, D., S.M. Shibli, M.L. Vega and E.A. Oliveira, Magnetic nanoparticle size constraints in ferronematic liquid crystals 310
Weißenborn, M., see Wellhöfer, M. 345
Weidenfeller, B. and W. Riehemann, Effects of surface treatments on the hysteresis losses of GO iron silicon steel 210
Wellhöfer, M., M. Weißenborn, R. Anton, S. Pütter and H. Peter Oepen, Morphology and magnetic properties of ECR ion beam sputtered Co/Pt films 345
Wiehl, L., see Oster, J. 164
Winter, H., see Gruyters, M. 192
Wortmann, G., see Stewart, G.A. 72
Wu, P., see Du, H.M. 227
Wu, S.-Y. and H.-N. Dong, Investigations of the electron paramagnetic resonance g factors for the two Er^{3+} centers in $SrLaAlO_4$ 248
Wu, T. and J.F. Mitchell, Spontaneous sharp metamagnetic transition in manganite films: influences of post-deposition annealing and measurement protocol 25
Wu, Z.-Y., see Li, Y.-T. 418

Xia, Z.C., G. Liu, B. Dong, L. Chen, D.W. Liu, C.H. Fang, D. Doyananda, L. Liu, S. Liu, C.Q. Tang and S.L. Yuan, Observation of a near 100% magnetoresistance in $(La_{0.8}Bi_{0.2})_{0.67}Ca_{0.33}MnO_3$ 260
Xie, J.L., see Zhou, P.H. 325
Xu, H., see Ma, T. 317
Xu, S., J. Zhang, M. Zhong, Y. Liu, Z. Zhang, H. Chen and Z. He, Preparation and magnetic properties for supersaturated Fe–C solid solution with nanocrystalline structure 126
Xu, X., see Ma, T. 317

Yan, B., see Lu, W. 299
Yan, C.-W., see Li, Y.-T. 418
Yan, S., J. Geng, J. Chen, L. Yin, Y. Zhou, L. Liu and E. Zhou, A study of NiZnCu-ferrite/SiO_2 nanocomposites with different ferrite contents synthesized by sol–gel method 304
Yang, D.D., see Zhang, D.E. 79
Yang, L., see Lu, W. 299
Yang, L.T., see Luo, J. 178
Yang, Y.N., see Sung, H.H. 413
Yao, K.L., see Luo, S.J. 367
Yin, L., see Yan, S. 304
Yousif, A.A., see Gismelseed, A.M. 37
Yuan, S.L., see Xia, Z.C. 260

Zaitsev, D.D., P.E. Kazin, Y.D. Tretyakov and M. Jansen, Synthesis and magnetic properties of glass-ceramic composites $SrFe_{12}O_{19}$–$SrSiO_3$ 59
Zalich, M.A., see Asmatulu, R. 108
Zana, I., G. Zangari and M. Shamsuzzoha, Enhancing the perpendicular magnetic anisotropy of Co–Pt(P) films by epitaxial electrodeposition onto Cu(1 1 1) substrates 266
Zangari, G., see Zana, I. 266
Zavorotnev, Y.D. and L.I. Medvedyeva, Latent paramagnetism in trigonal compounds 426
Zhang, D.E., X.J. Zhang, X.M. Ni, H.G. Zheng and D.D. Yang, Synthesis and characterization of $NiFe_2O_4$ magnetic nanorods via a PEG-assisted route 79
Zhang, H., see Ma, T. 317
Zhang, J., see Xu, S. 126
Zhang, X.J., see Zhang, D.E. 79
Zhang, Y., see Luo, J. 178
Zhang, Z., see Xu, S. 126
Zhao, C., see Du, H.M. 227
Zhao, X., see Peng, D.L. 143
Zhao, X., see Cai, J. 476
Zhao, X.Q., see Zhou, P.H. 325
Zheng, H.G., see Zhang, D.E. 79
Zhong, M., see Xu, S. 126
Zhou, E., see Yan, S. 304
Zhou, P.H., L.J. Deng, J.L. Xie, D.F. Liang, L. Chen and X.Q. Zhao, Nanocrystalline structure and particle size effect on microwave permeability of FeNi powders prepared by mechanical alloying 325
Zhou, S.M. and L. Sun, Temperature dependence of interlayer coupling and magnetization in amorphous-FeNiB/Ru multilayers 65
Zhou, Y., X.-H. Mao, J.-A. Chen, W. Ding, X.-Y. Gao and Z.-M. Zhou, Stress-impedance effects in layered FeSiB/Cu/FeSiB films with a meander line structure 255
Zhou, Y., see Yan, S. 304
Zhou, Z.-M., see Zhou, Y. 255
Zhu, C.-Y., see Li, Y.-T. 418
Zimmels, Y., Electromagnetic intensive work and energy variables of finite and composite systems 433

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Magnetism and Magnetic Materials 292 (2005) 495–496
Journal of magnetism and magnetic materials
www.elsevier.com/locate/jmmm

Subject index to volume 292

Ab initio calculation 367
AC susceptibility 186
Activation energy and initial magnetic permeability 17
Alloy 325
Amorphous magnetic materials 286
Anisotropy 89, 281
Anisotropy effects 453
Antiferromagnetic ordering 413

Ball milling 215
Bi-2212 186
Biodegradable 108
Blocking 310
Bulk amorphous and nanocrystalline alloy 299

Carbon nanotube 143
Ce($Cu_{0.5}In_{1.5}$) 413
Chains 332
Charge carrier mobility 17
Cluster analysis 332
CMR 25
Co substitution 317
Cobalt ferrite 11
Cobaltite 385
Coercive force 227
Coercivity 150
Colloidal aggregation 310
Colossal magnetoresistance 385, 483
Combustion synthesis 100
Complex permeability 201
Composite system 433
Computer modeling 1
Constitutive equation 394
Copper(II) 418
Co–Pt alloys 266
Core level photoelectrons 241
Critical in-plane field 281
Critical state model 186
Crystal-field and spin-Hamiltonians 248
Cubic and orthorhombic anisotropy 372
Curie temperature 44, 192, 241

DC arc discharge evaporation 143
Density-functional calculation 476
Dipolar interactions 332
Domain configuration 201
Domain refinement 210
Domain wall 281
Doping 483
$DyFe_2$ 164

ECR ion beam sputter deposition 345
Electrical conductivity 17
Electrical steel 210
Electrodeposition 49, 266
Electromagnetic 433
Electron paramagnetic resonance (EPR) 248
Electronic band structure 367
Energy 433
Energy dissipation 89
Epitaxial Fe/GaAs 241
Equilibrium magnetization 332
Er^{3+} 248
Exchange-coupling 120
External magnetic field and targeting 108

Faceted sapphire 164
Fe clusters 143
Fe–C alloy 126
Fe–N thin films 227
FePt 120
FePtB 120
Ferrites 44, 100
Ferromagnetic film 201
Ferromagnetic properties 367
Ferromagnetic shape memory alloy 394
Ferromagnetic spin coupling 418
Ferronematics 310
Fluorine doping 186

Glass-ceramics 59

Hard domain 281
Hard magnetic materials 49
Heat capacity 413
Hematite phase (α-Fe_2O_3) (and/or -Fe_2O_3) 440
Heterodinuclear complexes 418
Heusler alloy 476
Hexagonal crystals 426
High coercivity materials 135, 266
Hysteresis 260
Hysteresis losses 210
Hysteresis measurements 447

Initial permeability 159
Intensive variables 433
Interface coupling 453
Interlayer coupling 65
Ion scattering 192
Ionic distribution 44
Ising model 359

Kerr microscope 201
Kinetic glass 359
Kramers' escape rate theory 372

Langmuir–Blodgett 11
Laser scribing 210
Latent paramagnetism 426
Lattice constant 44
Lattice dynamics 37
Layered FeSiB/Cu/FeSiB films 255
Layered manganites 483

Maghemite phase (γ-Fe_2O_3) 440
Magnetic anisotropy 227, 266
Magnetic field 426
Magnetic fluids 332
Magnetic hysteresis 359
Magnetic linear dichroism 241
Magnetic materials 126, 286
Magnetic microsphere 108
Magnetic multilayer 65
Magnetic nanocomposites 215
Magnetic nanocrystals 11
Magnetic nanoparticles 215
Magnetic properties 37, 59, 79, 143, 304, 299

doi:10.1016/S0304-8853(05)00337-9

Magnetic reorientation 453
Magnetic shape memory 89
Magnetic transition 83
Magnetic ultrathin films 192, 345
Magnetically ordered materials 178
Magnetization 44, 164, 426
Magnetization curves 135
Magneto-mechanical behaviour 394
Magneto-optical Kerr effect 476
Magnetocaloric 83
Magnetoresistance 260
Magnetostriction 164, 317
Magnetron sputtering 255
Manganites 25, 468
Meander line structure 255
Mechanical alloying 126, 286
Melt-spinning 120, 150
MEMS 49
Metamagnetic transition 25
Micromagnetics 1
Microstructure 150
Microwave 100
Microwave permeability 325
Mixed magnetic state 426
Molecular beam epitaxy 164, 192
Mössbauer of FeSbTe 37
Mössbauer spectra 304
Mössbauer spectroscopy 215, 447
Mössbauer spectroscopy-RE compounds 72

Nano-particles 100
Nanocomposites 120, 304
Nanocrystalline 325
Nanocrystalline materials 135
Nanoparticles 79
Nanorods 79
Nanostructural system 126
Nickel ferrite 79
NiCuZn ferrites 159
Ni–Mn–Ga 394
NiPt 234
NiZnCu-ferrite 304
NMR spectroscopy 490
NQR spectroscopy 490

Oxamido bridge 418
Oxidation-resistance 143
Oxide thin film 25
Oxovanadium(IV) 418

Percolation 468
Permanent magnets 120, 135
Perpendicular magnetic anisotropy 345
Phase diagram 234
Phase evolution 227
Phase separation 25
Phase transition 462
Polaron 385

Rare earth 83
Rare-earth permanent magnet 150
Rare-earth ternary compounds 72
Rare-earth transition-metal alloys 317
Relaxation time 372
Residual stress 49
Resistivity 44, 413

Silica gel 440
Single-domain particles 372
Site occupancy 44
Skutterudites 490
Sol–gel 11, 100, 304
Sound velocity and attenuation 234
Specific heat 72
Spin dynamics 462
Spin glasses 462
Spin reorientation 178
Sr-ferrite 59
$SrLaAlO_4$ 248
Stress sensitivity 159
Stress-impedance 255
Structural relaxation 447
Super-high-pressure consolidation 299
Surface defects 210
Surface mounting devices 159
Susceptibility 413
Susceptibility χT 440
Synthesis 108

$TbFe_2$ 164
TEM 440
Temperature 65
Ternary alloys 37
Thermal annealing 447
Thermal conductivity 385
Thermoelectric power 17, 385
Thin film growth 345
Transport 260, 468
Twin-boundary orientation 394
Two-step MA 325

Ultra thin magnetic films 241

Vertical Bloch line 281

Work 433

X-ray diffraction 483
X-ray scattering 178
XRD 440